


DANCE STUDIO FACILITY



 SHI-CHI


DANCE FLOOR
PERFORMANCE FLOOR
DANCE STUDIO FACILITY

DANCE STUDIO FACILITY

DANCE FLOOR



Shi-Chi's dance floors are excellent for all forms of performance and ideal for touring performance companies, showrooms, studios and theaters. The non-skid finish gratifies the controlled slip dancers' demand. Various thicknesses, colors and widths are available by special order to satisfy all-purpose usages.



Technical Specifications

Item No.	Color	Width(cm)	Length(cm/roll)	Thickness(mm)	Weight(kgw)		Material
BG318		92	1800	1.8	40		100% PVC
BW318		92	1800	1.8	40		
BG312		92	1800	1.2	30		
BW312		92	1800	1.2	30		
BG518		153	1800	1.8	70		
BW518		153	1800	1.8	70		
BG512		153	1800	1.2	54		
BW512		153	1800	1.2	54		



Dance Floor Cart

Various options for your different length of dance floor.
Store 5 to 9 rolls of dance floor per unit.
Custom made order is acceptable.



Dance Floor Tape

For seaming dance floors

Black mattle
5cm x 20m
10cm x 20m

Translucent
5cm x 20m
10cm x 20m

Gray
5cm x 20m



Black mattle



Translucent




Gray

PERFORMANCE FLOOR



Features

- This floor is ideal for dancers.
- 48mm-thick high density foam pads attached to underside panels provide excellent resilience and stability.
- Custom made order is acceptable



Technical Specifications

- Width : 120(cm)
- Length : 120 or 240(cm)
- Thickness
 - Panel : 18mm
 - Foam pad : 48mm



- To be combined by Roto Lock



